

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(updat\$3 or upgrad\$3) same (code or program\$1) same (transfer\$3 or transmit\$3 or mov\$3) same (select\$3 or pick\$3 or choos\$3) same map\$5 same (eras\$3 or delet\$3 or remov\$3) and (segmen\$3 or progra\$2 or code) and (devic\$2 or syste\$2) and (boot near2 progra\$2 or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 08:25
S2	1	(updat\$3 or upgrad\$3) same (code or progra\$2) same (transfer\$3 or transmit\$3 or mov\$3) same (select\$3 or pick\$3 or choos\$3) same (map\$5 or link\$3) same (eras\$3 or delet\$3 or remov\$3) and (segmen\$3 or progra\$2 or code) and ((boot near2 progra\$2 or system) or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 12:33
S3	0	(updat\$3 or upgrad\$3) same (transfer\$3) same (control) same (map\$5 or link\$3) same (determin\$3 or check\$3 or verif\$3 or validat\$3) same (eras\$3 or delet\$3 or remov\$3) and (segmen\$3 or progra\$2 or code) and (boot near2 system) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 12:39
S4	1	(updat\$3 or upgrad\$3) same (transfer\$3 or mov\$3) same (control or manage\$4) same (map\$5) same (determin\$3 or check\$3 or verif\$3 or validat\$3) same (eras\$3 or delet\$3 or remov\$3) and (segmen\$3 or progra\$2 or code) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 12:44

S5	23	(updat\$3 or upgrad\$3) same (transfer\$3 or mov\$3) same (control or manage\$4) same (map\$5) same (determin\$3 or check\$3 or verif\$3 or validat\$3) same (eras\$3 or delet\$3 or remov\$3) and (segmen\$3 or progra\$2 or code) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 12:56
S6	0	(updat\$3 or upgrad\$3) same (transfer\$3 or mov\$3) same (control or manage\$4) same (map\$5) same (determin\$3 or check\$3 or verif\$3 or validat\$3) same (eras\$3 or delet\$3 or remov\$3) and (segmen\$3 or progra\$2 or code) and (boot near2 program) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 12:57
S7	1467	(updat\$3 or upgrad\$3) same (transfer\$3 or mov\$3) same (control or manage\$4) same (map\$5) same (determin\$3 or check\$3 or verif\$3 or validat\$3) s and (segmen\$3 or progra\$2 or code) and (boot near2 program) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:02
S8	3	(updat\$3 or upgrad\$3) same (code or program) same (transfer\$3 or mov\$3) same (control or manage\$4) same (map\$5) same (determin\$3 or check\$3 or verif\$3 or validat\$3) and (segmen\$3 or progra\$2 or code) and (boot near2 program or boot near2 system) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:13

S9	0	(updat\$3 or upgrad\$3) same (code or program) same (transfer\$3 or mov\$3) same (control) same (map\$5) same (select\$3 or choos\$3) and (boot near2 program or boot near2 system) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and 717/S.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:10
S10	0	(updat\$3 or upgrad\$3) same (code or program) same (transfer\$3 or mov\$3) same (control) same (map\$5) same (select\$3 or choos\$3) and (boot near2 program or boot near2 system) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:10
S11	32	(updat\$3 or upgrad\$3) same (code or program) same (transfer\$3 or mov\$3) same (control) same (map\$5) same (select\$3 or choos\$3) and (boot near2 program or boot near2 system) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:13
S12	3	(updat\$3 or upgrad\$3) same (code or program) same (transfer\$3 or mov\$3) same (control or manage\$4) same (map\$5) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:18
S13	24	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:33

S14	0	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (boot near2 program or boot near2 system) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:35
S15	1	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (boot near2 program or boot near2 system or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:46
S16	0	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) same (segmen\$2) and (eras\$3 or remov\$3 or delet\$3) and (boot near2 program or boot near2 system or BIOS) and (reset\$4 or reboot\$4 or restart\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:49
S17	1	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (boot near2 program or boot near2 system or BIOS) and (reset\$4 or reboot\$4 or restart\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 13:50

S18	10	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:08
S19	307	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:10
S20	56	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (boot near2 program or boot near2 system or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:11
S21	45	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (boot near2 program or boot near2 system or BIOS) and (transfer\$4) same (control) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:13

S22	45	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (boot near2 program or boot near2 system or BIOS) and (transfer\$4 same control) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:16
S23	56	(updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (boot near2 program or boot near2 system or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:31
S24	0	(remot\$3 or networ\$2) same (updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (boot near2 program or boot near2 system or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:33
S25	25	(remot\$3 or networ\$2) same (updat\$3 or upgrad\$3) same (code or progra\$2 or segmen\$2) same (map\$5) same (select\$3 or choos\$3) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or valid\$5) and (reset\$4 or reboot\$4 or restart\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:33
S26	566	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4	USPAT	OR	OFF	2005/01/28 14:48

S27	552	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4)	USPAT	OR	OFF	2005/01/28 14:49
S28	537	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	USPAT	OR	OFF	2005/01/28 14:50
S29	375	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4) and (eras\$3 or delet\$3 or remov\$3) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	USPAT	OR	OFF	2005/01/28 14:52
S30	169	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4) and (eras\$3 or delet\$3 or remov\$3) and segmen\$2 and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	USPAT	OR	OFF	2005/01/28 14:52
S31	13	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and segmen\$2 and (boot near2 program or boot near2 system or BIOS) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	USPAT	OR	OFF	2005/01/28 14:56
S32	0	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and 717/S. ccls.	USPAT	OR	OFF	2005/01/28 14:57



S33	11	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	USPAT	OR	OFF	2005/01/28 14:58
S34	16	(receiv\$3 or get\$4) same (updat\$3 or upgrad\$3) same (code or program) same map\$4 and (determin\$3 or check\$3 or verif\$4 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:58
S35	10	(updat\$3 or upgrad\$3) same (select\$3 or choos\$3) same (segmen\$2 or code\$1) same (map\$4) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or validat\$3) and "717"/\$.ccls. and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	USPAT	OR	OFF	2005/01/31 08:36
S36	68	(updat\$3 or upgrad\$3) same (segmen\$2 or code\$1) same (map\$4) and (eras\$3 or remov\$3 or delet\$3) and (determin\$3 or check\$3 or verif\$4 or validat\$3) and "717"/\$.ccls. and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	USPAT	OR	OFF	2005/02/01 13:01
S37	0	(updat\$3 or upgrad\$3) same (spac\$2) same (select\$3 or choos\$3) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3)and (boot near2 program or boot near2 system) and (embedded near2 devic\$2) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:09



S38	0	(updat\$3 or upgrad\$3) same (spac\$2) same (select\$3 or choos\$3) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (boot near2 program or boot near2 system) and (embedded near2 devic\$2) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:10
S39	0	(updat\$3 or upgrad\$3) same (spac\$2 or are\$2) same (select\$3 or choos\$3) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (embedded near2 devic\$2) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:12
S40	0	(updat\$3 or upgrad\$3) same (spac\$2 or are\$2) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (embedded near2 devic\$2) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:12
S41	3	(updat\$3 or upgrad\$3) same (spac\$2 or are\$2) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (embedded near2 devic\$2) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:13

S42	341	(updat\$3 or upgrad\$3) same (spac\$2 or are\$2) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:13
S43	12	(updat\$3 or upgrad\$3) same (spac\$2 or are\$2) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:17
S44	1	(updat\$3 or upgrad\$3) same (spac\$2 or are\$2) same (map\$5) same (segmen\$3 or progra\$2 or code) and (determin\$3 or check\$3 or verif\$3 or validat\$3) and (eras\$3 or delet\$3 or remov\$3) and (reset\$4 or restart\$3 or reboot\$4) and (boot near10 program) and (@ad<"20011113" or @rlad<"20011113" or @prad<"20011113") and "717"/\$.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:17